

Fatigue at Sea: Wearable technology



Jason Eden is the founder and CEO of Sleep and Fatigue Research Ltd (Safr) who use technology to monitor and manage crew fatigue. The company has worked with industries such as aviation, road transportation, the emergency services and NHS and financial services. Before Safr, Jason was a pilot and safety manager in the UK's Royal Air Force and was a member of the RAF's Fatigue Risk Management Working Group.

Over the past few years, several of the Club's loss prevention initiatives¹ have identified sleepiness and long-term fatigue to be recognised as a major factor impacting accidents at sea. In order to understand this causation factor further, the Club has partnered with Safr on an innovative project to investigate whether wearable technology can be utilised in the marine environment to assist the mitigation of this risk by enabling shipping companies to identify fatigue hotspots within their operations.

Fatigue is widely acknowledged to be a problem in safety-critical industries. It affects error rates, accident rates, health and wellbeing, and staff retention. It impacts cognitive ability, decision-making, risk behaviour, and much more.

The study

It was found that workers who obtain less than five hours sleep a night are more than three times as likely to be involved in an accident². After 17 hours of being awake, performance can be reduced to the same extent as if the individual were over the drink-driving limit³. Up to 25% of fatal road accidents are wholly or partly a result of driver fatigue (ROSPA / DfT).


Moreover, it is now clear that lack of sleep is not just associated with increased rates of cancer, heart disease, stroke, obesity, diabetes, anxiety, depression, and many other physical and mental health problems; it has been shown to be a cause of them⁴.

Scientific studies have also proven that it is not enough to simply ask an individual how they feel as, if a person is fatigued, their perception of their performance is often impaired. The graphs below show the number of mistakes that are made as a result of restricted sleep (left graph) versus how an individual perceives their level of fatigue over the same duration (right graph). The difference between how fatigued an individual *thinks* they are, compared with how fatigued they *actually* are, exemplifies the necessity for a system that effectively measures and manages fatigue.



(Van Dongen et al, 2002)

Safr use the latest generation of consumer wearables, scientifically validated fatigue algorithms, a mobile app, and a suite of management software to understand how fatigue manifests within a given organisation, to improve individuals' understanding of their own fatigue level and how to improve it. This enables organisations to proactively manage their fatigue risks. The studies conducted so far show, that in almost every situation, there is something that can be done to improve fatigue within an organisation.



Consumer wearables, bio-mathematical model of fatigue and a mobile app to monitor and predict fatigue.

Advice on managing the fatigue risk

Recent studies on the effect of fatigue in the maritime environment, including an operator of offshore crew transfer vessels, have highlighted the impact of:

- **Long shifts:** Shifts of 10 hours or more, especially at night, resulted in worse levels of fatigue and therefore a higher risk of errors and accidents.
- **Early shift start times:** Shifts starting before 07:00 had a significant negative impact on fatigue levels resulting in an environment of much higher risk.
- **'Split' shifts:** These were associated with the very worst fatigue levels recorded.
- **Duration of sleep:** A high proportion of employees occasionally obtained extremely low amounts of sleep before starting a shift. Many crew members obtained less than 4 hours of sleep, and a significant minority got less than 2 hours of sleep on at least one occasion during the 4-week study.

Utilising this research and a fatigue monitoring system, may assist Members in understanding their fatigue risks, improve safety, increase staff wellbeing, and reduce staff turnover.

For further enquiries, please contact Jason Eden at jason@safr.org.uk.

¹ Project Martha (https://edit.shp-13384.design-portfolio.info/download_file/view/1149/), Managing Stress and Sleeping Well at Sea (https://edit.shp-13384.design-portfolio.info/download_file/view/1150/) and Understanding Fatigue (https://edit.shp-13384.design-portfolio.info/download_file/view/1151/)

² Lombardi et al, 2010 DAILY SLEEP, WEEKLY WORKING HOURS, AND RISK OF WORK-RELATED INJURY: US NATIONAL HEALTH INTERVIEW SURVEY (2004–2008). <https://doi.org/10.3109/07420528.2010.489466>

³ Dawson and Reid, 1997 Fatigue, alcohol and performance impairment. <https://doi.org/10.1038/40775>

⁴ For an accessible discussion of the health impact of lack of sleep try “Why We Sleep” by Professor Matt Walker